

## Recommendations:

	CROP	DOSAGE*	WATER RATE**	TIMING
	Acacia	0.5 – 1.5 ℓ/ha	<20 ℓ/ha	During spring flush.
	Canola	0.25 ℓ / ha	200 ℓ / ha	4 – 8 Leaf stage.
1	Carrot, Onions	0.25 − 0.35 ℓ / ha	50 – 200 ℓ / ha	When leaf is sufficient.
	Cereals	0.175 – 0.5 ℓ/ha	50 – 200 ℓ/ha	From 4 leaf stage to start of stem extension.
	Eucalyptus	0.5 – 3.0 ℓ/ha	>20 ℓ/ha	During spring flush.
	Lucerne	0.15 − 0.35 ℓ / ha	50 − 200 ℓ / ha	Pasture after first cut. For seed production at bud formation.
	Olive	1.25 – 2.50 ℓ/ha	1000 ℓ/ha	2 – 3 Sprays per year between spring and autumn.
	Potatoes	0.5 ℓ/ha	200 ℓ/ha	7 – 14 Days after 100% emergence.
	Soil application (all crops)	<4 ℓ / ha	>50 l/ha	

## DIRECTIONS FOR USE

Mix the product thoroughly before use. Fill working solution tank with 75% water, agitate and pour in required product quantity. Top up working solution tank to capacity. Start spraying while agitating solution. Foliar/Soil: use enough water for full cover spray or to spray soil surface around the root zone. Care should be taken when mixing this product with other products in the same working solution tank and is entirely at the risk of the end-user.

### **PRECAUTIONS**

Use only on crops as listed. Do not apply under extreme conditions such as rain, frost, very low and very high humidity. Wear PPE such as gloves and face shield when handling the product. Always clean application equipment before and after use

## WARNINGS

Harmful if swallowed. Do not breathe spray, Inhalation may cause irritation or damage to respiratory tract.

> Shake well before use. Skud deeglik voor gebruik.



# STORAGE

Keep in a cool, dry chemical store and avoid temperatures in excess of 40°C. Always seal used containers. Keep out of reach of children, livestock and uninformed persons.

- \* Best practice: Product dosage should be determined by soil, leaf and/or sap analyses.
- \*\* Water rate application: Aerial 30 60 ℓ / ha; tractored spraying 200 - 300 ℓ / ha; tractored misting (orchards) 800 - 1000 ℓ / ha

Please contact your Agriculturist for specific crop application.