

Material Safety Data Sheet

(This document conforms to ISO 11014-1)

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Supplier / Manufacturer: Kimleigh Chemicals SA (Pty) Ltd
 11 Jasper van der Westhuizen Street, Potchindustria,
 Potchefstroom, North West Province, 2531, South Africa.
 Tel no: +27 (18) 293-1028 Fax no: +27 (18) 294-4079
 Web: www.kimleigh.com Email: sales@kimleigh.co.za



Chemical Name: AqCua[®] Cuphlex SA (technical grade).
Molecular Formula: Proprietary Information.
Product Range: AqCua[®].
Synonyms: None.
Material Uses: Ore floatation.

2. COMPOSITION / INFORMATION ON INGREDIENTS

Substance Name: AqCua[®] Cuphlex SA
% by Weight: 98,0 (min)
Appearance: Light blue odourless solution.
Chemical Description: Copper content: 2.5 – 6 %.
 Other ingredients: proprietary information.

Hazardous Ingredients:	Ingredients	Content	GHS Classification
	Copper	2.5 - 6 %	H302, H315, H318, H319, H335, H410

3. HAZARD IDENTIFICATION

Physical State and Appearance: Light blue aqueous solution.

GHS Classification:

H302:	Harmful if swallowed.
H315:	Causes skin irritation.
H318:	Causes serious eye damage.
H319:	Causes serious eye irritation.
H335:	May cause respiratory irritation.
H410:	Very toxic to aquatic life with long lasting effect.
P261	Avoid breathing dust / fume / gas / mist / vapours / spray.
P273:	Avoid release to the environment.
P280:	Wear protective gloves / eye protection / face protection.
P302, P352:	If on skin – wash with plenty of soap and water.

P305, P351, P338: If in eyes – rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.

Pictogram:



Signal word:

Warning

Warning

Routes of Entry:

Eye Contact. Inhalation. Ingestion. Absorbed through skin.

Potential Health Effects:

Eyes Can cause eye irritation and local inflammation, tissue destruction, corneal opacity and adhesion of eyelid to the eye. May also cause conjunctivitis and ulcerations.

Skin Causes skin irritation. May cause skin sensitization, an allergic reaction, which becomes evident upon re-exposure to this material.

Inhalation Mists may cause irritation of nasal passages and throat. Ulceration and perforation of the nasal septum is possible if inhaled in excessive quantities. May cause gastrointestinal irritation with nausea, vomiting and diarrhea. Excessive intake may cause erosion of the teeth.

Ingestion It can cause a burning sensation in the throat and cause vomiting. More severe poisoning can cause abdominal pain, nausea, diarrhoea and ulceration of the gastrointestinal tract. May cause haemorrhaging of the digestive tract. Metallic taste may occur. Can be fatal.

Potential Chronic Health Effects:

CARCINOGENIC EFFECTS:
Not suspected for human by ACGIH, IARC, NIOSH, NTP or OSHA.

MUTAGENIC EFFECTS:
Not available.

TERATOGENIC EFFECTS:
Not available.

Medical Conditions Aggravated by Overexposure:

Inhalation Repeated exposure may cause lung damage. It can cause shrinking of the inner linings of the nose, with a watery discharge, or thickening of the skin.

Skin Repeated exposure can cause skin allergy or dermatitis. If allergy develops, even low future exposures may trigger a rash. It can cause discoloration of skin and hair to a green colour.

Swallowed Repeated exposure to mists can cause liver damage. Metallic taste may occur.

This substance has adverse reproductive and foetal effects in animals. Copper is an essential element and its level in the body is strictly controlled. Under most conditions, excess copper is excreted in the urine and faeces.

4. FIRST AID MEASURES

General Advice:	Consult a physician. Show this material safety data sheet to the doctor in attendance.
Eye Contact:	Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Cold water may be used. Get medical attention immediately.
Skin Contact:	In case of contact, immediately flush skin with plenty of water for at least 15 minutes, while removing contaminated clothing and shoes. Cover the irritated skin with an emollient. Cold water may be used. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.
Inhalation:	If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately.
Ingestion:	If swallowed, do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention immediately.

5. FIRE-FIGHTING MEASURES

Flammability of Product:	Non-flammable.
Auto-ignition Temperature:	Not applicable.
Flash Points:	Not applicable.
Flammable Limits:	Not applicable.
Products of Combustion:	Oxides of carbon, copper and sulphur.
Explosion Hazards in Presence of Various Substances:	Risks of explosion of the product in presence of static discharge: No. Risks of explosion of the product in presence of mechanical impact: No.
Fire Hazards in Presence of Various Substances:	Not applicable.
Fire Fighting Media and Instructions:	Small fire: Use dry chemicals, CO ₂ , alcohol foam or water spray. Large fire: Use alcohol foam, water spray or fog.

Protective Clothing (Fire):	Wear NIOSH approved self-contained breathing apparatus or equivalent and full protective gear.
Special Remarks on Fire Hazards:	Not available.
Special Remarks on Explosion Hazards:	Not available.

6. ACCIDENTAL RELEASE MEASURES

Small Spill and Leak:	Use appropriate tools and adsorptive material to contain and adsorb the spilled solution and dispose of in a convenient waste disposal container.
Large Spill and Leak:	Stop leak if without risk. Use appropriate tools and adsorptive material to contain and adsorb the spilled solution and dispose of in a convenient waste disposal container. Do not touch spilled material. Prevent entry into sewers, basements or confined areas; dyke if needed. Call for assistance on disposal. Be careful that the product is not present at a concentration level above TLV. Check TLV on the MSDS and with local authorities.

7. HANDLING AND STORAGE

Handling:	Handle with care. Do not swallow or inhale spray, mist or vapours. Avoid contact with eyes and skin and any form of ingestion. Wear suitable protective clothing such as overalls, boots, rubber gloves, goggles, nose and mouth protection and wash contaminated clothing daily. Use dust mask or respirator with dust cartridge. Wash thoroughly with soap and water after use or accidental skin contact. Do not eat, drink or smoke during use. Avoid contamination of food, foodstuffs, eating utensils and drinking water. Do not discharge residues or any of the product into rivers, dams and canals.
Storage:	Store in a cool place. Store under lock and key and keep out of reach of children, uninformed persons and animals. Store only in sealed polypropylene (fibreglass) or stainless steel containers. Store away from direct heat in original containers.

8. EXPOSURE CONTROL / PERSONAL PROTECTION

Engineering controls:	Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.						
Personal Protection:	<table> <tr> <td><i>Eyes</i></td> <td>Splash goggles.</td> </tr> <tr> <td><i>Body</i></td> <td>Full acid resistant suit.</td> </tr> <tr> <td><i>Respiratory</i></td> <td>Dust respirator. Be sure to use a MSHA/NIOSH approved respirator or equivalent. Wear appropriate respirator when ventilation is inadequate.</td> </tr> </table>	<i>Eyes</i>	Splash goggles.	<i>Body</i>	Full acid resistant suit.	<i>Respiratory</i>	Dust respirator. Be sure to use a MSHA/NIOSH approved respirator or equivalent. Wear appropriate respirator when ventilation is inadequate.
<i>Eyes</i>	Splash goggles.						
<i>Body</i>	Full acid resistant suit.						
<i>Respiratory</i>	Dust respirator. Be sure to use a MSHA/NIOSH approved respirator or equivalent. Wear appropriate respirator when ventilation is inadequate.						

Hands Gloves.

Feet Boots.

Personal Protection in Case of a Large Spill: Splash goggles. Full suit. Dust respirator. Boots. Gloves. A self-contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist **BEFORE** handling this product.

Exposure Limits:

BAUA (Germany 1997)
PEAK: 4 mg Cu/m³ dust
MAK: 1 mg Cu/m³ dust

Tyterveyslaitos (Finland, 1998)
TWA: 1 mg Cu/m³ dust

AFS (Sweden, 1996)
NGV: 1 mg Cu/m³ dust

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State and Appearance: Light blue aqueous solution.

Molecular Weight: Proprietary.

Molecular Formula: Proprietary.

pH (0.05 mole solution): 5.2

Boiling/Condensation Point: ± 100 °C.

Melting/Freezing Point: ± 0 °C.

Critical Temperature: Not available.

Liquid Density: 1.11 g/l at 25 °C.

Solubility: Very soluble in water.

Vapour Pressure: Not available.

Vapour Density: Not available.

Volatility: Not available.

Odour Threshold: Not available.

Evaporation Rate: Not available.

VOC: Not available.

Log K_{ow} Not available.

Ionicity (in Water): Not available.

Dispersion Properties: Not available.

10. STABILITY AND REACTIVITY

Stability and Reactivity: The product is stable.

Conditions of Instability: Not available.

Incompatibility with Various Substances:	Avoid contact with acetylene, hydroxylamine and reducing agents. Avoid contact with steel.
Hazardous Decomposition Products:	Thermal decomposition can lead to release of irritating gases and vapours such as oxides.
Hazardous Polymerization:	Will not occur.

11. TOXICOLOGICAL INFORMATION

Toxicity:	Acute oral toxicity (LD50): 1,500 mg/kg [RAT]. Acute dermal toxicity (LD50): 10 g/kg [RAT]. Lowest published oral lethal dose: 5,400 mg/kg [Human].
Chronic Effects on Humans:	<u>CARCINOGENIC EFFECTS:</u> Not suspected for humans by ACGIH. <u>MUTAGENIC EFFECTS:</u> Not available. <u>TERATOGENIC EFFECTS:</u> Classified NONE for humans.
Acute Effects on Humans:	Hazardous in case of eye contact (irritant). Inflammation of the eye is characterized by redness, watering and itching. Hazardous in case of skin contact (irritant). Skin inflammation is characterized by itching, scaling, reddening or, occasionally blistering. Hazardous in case of inhalation (lung irritant). Hazardous in case of ingestion.
Synergetic Products: (Toxicologically)	Not available.
Irritancy:	Draize Test: Not available.
Sensitization:	Not available.
Toxicity to Reproductive System:	Tests on laboratory animals for reproductive effects are cited in Registry of Toxic Effects on Chemical Substances (RTECS).

12. ECOLOGICAL INFORMATION

Ecotoxicity:	Harmful to both plant and aquatic life. Potential bio-accumulation may lead to ecological disturbances.
BOD5 and COD:	Not available.
Biodegradable / OECD:	<i>AqCua</i> [®] Cuphlex SA is slowly biodegradable.
Mobility:	<i>AqCua</i> [®] Cuphlex SA is water soluble and will be dispersed in soil and water at a rate which will depend on the amount and concentration of the spill.
Toxicity of the Products of Biodegradation:	The products of degradation are less toxic than the product itself.

13. DISPOSAL CONSIDERATIONS

EPA Waste Number: Not available.

Treatment: Material does not have an EPA Waste Number and is not a listed waste, however consultation with a permitted waste disposal site (TSD) should be accomplished. Always contact a permitted waste disposal site (TSD) to assure compliance with all current, local, national, state, Federal and Governmental Regulations.

14. TRANSPORT INFORMATION

DOT Classification: 9/UN3082/PGIII

Land Transport: ADR / RID

UN Number: 3082 Class: 9 Packing group: III
Various dangerous materials and objects. Environmentally hazardous substance, liquid.

Marine Transport: IMDG (No material danger according to IMO.)

Air Transport: No material danger according to ICAO / IATA.

TDG Classification: 9

Hazchem Code: 2X

IERG Number: 47

Signal Word:



Warning



Warning

Hazard Statements:

H302:	Harmful if swallowed.
H315:	Causes skin irritation.
H318:	Causes serious eye damage.
H319:	Causes serious eye irritation.
H335:	May cause respiratory irritation.
H410:	Very toxic to aquatic life with long lasting effect.

Precautionary Statements:

P261	Avoid breathing dust / fume / gas / mist / vapours / spray.
P273:	Avoid release to the environment.
P280:	Wear protective gloves / eye protection / face protection.
P302, P352:	If on skin – wash with plenty of soap and water.
P305, P351, P338:	If in eyes – rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.

15. REGULATORY INFORMATION

Republic of South Africa Regulations:

National Water Act 36 of 1998.
Occupational Health and Safety Act, 1993.
Environmental Conservation Act 73 of 1989.
Hazardous Substances Act, 1973.
Provincial Ordinances and Local By-laws.

16. OTHER INFORMATION

Label Requirements: Keep away from food and foodstuffs.

CERCLA Ratings: (Scale 0 – 3)

Health: = 3
Fire: = 0
Reactivity: = 0
Persistence: = 3

NFPA Ratings: (Scale 0 – 4)

Health = 2
Fire = 0
Reactivity: = 0

References:

National Institute for Occupational Safety and Health (NIOSH).
The Registry of Toxic Effects of Chemical Substances (RTECS).
LOLI Database: The regulated Chemicals List of Lists.
CHEMINFO: Canadian Centre for Occupational Health and Safety, Issue: 97-3 (August, 1997).
BDH: Hazard Data Disk, Version 3.
CESARS: Chemical Evaluation and Retrieval System, Produced by: Ontario Ministry of Environment and Michigan Department of Natural Resources, Issue: 97-3 (August, 1997).
TOMES Plus System: Toxicology, Occupational Medicine & Environmental Series: incorporating.
MEDITEX, HAZARDTEXT, 1st Medical Response Protocols, INFOTEXT, HSDB, CHRIS, OHM/TADS, IRIS, NIOSH Pocket Guide, RTECS, NJ Fact Sheets, North American Emergency Response Guides, REPROTEXT, REPROTOX, TERIS, Shepard's Catalog of Teratogenic Agents.

Emergency Contact:

KIMLEIGH CHEMICALS SA (PTY) LTD
TEL NO. +27 (18) 293-1028

Disclaimer:

***KIMLEIGH CHEMICALS SA (PTY) LTD** provides the information contained herein in good faith, but does not assume any liability whatsoever for its accuracy or completeness. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.*