

Tribasic Copper Chloride (WP)

Provisional Material Safety Data Sheet

(This document conforms to ISO 11014-1)

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Supplier / Manufacturer: Kimleigh Chemicals SA (Pty) Ltd
11 Jasper van der Westhuizen Street, Potchindustria,
Potchefstroom, North West Province, 2531, South Africa.
Tel no: +27 (18) 293-1028 Fax no: +27 (18) 294-4079
Web: www.kimleigh.com Email: sales@kimleigh.co.za

Chemical Name: Tribasic Copper Chloride (WP).

Synonyms: Basic copper chloride, copper oxychloride, dicopper chloride trihydroxide.

Product ranges: Animade and Fertion.

Chemical Family: Inorganic.

Material Uses: Animal feeds and Fertilizers.

2. COMPOSITION / INFORMATION ON INGREDIENTS

Substance Name: Tribasic copper chloride (WP).

Assay % by Weight: 98 % minimum.

Appearance: Fine green powder.

Molecular Formula: $\text{Cu}_2(\text{OH})_3\text{Cl}$

Molar Mass: 213.54 g/mol

CAS Number: 1332-40-7

EC Number: 215-572-9

Hazardous Ingredients:

Ingredients	Content	GHS Classification
Cu	50 %	H302, H318, H410

3. HAZARD IDENTIFICATION

Physical State and Appearance: Fine green powder.

GHS Classification:

H302: Harmful if swallowed.
H318: Causes serious eye damage.
H410: Very toxic to aquatic life with long lasting effect.
P280: Wear protective gloves / protective clothing / eye protection / face protection.
P301, 310: If swallowed immediately call a poison center or doctor / physician.
P305, 351, 388: If in eyes, rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
P315: Get immediate medical advice/attention.
P501: Dispose of contents/container in accordance with local/regional/international regulations.

Pictogram:



Signal word:

Warning

Warning

Routes of Entry:

Eye Contact. Ingestion. Absorbed through skin.
Reactions are not likely to occur, unless dose is extraordinary.

Potential Health Effects:

Eyes Copper chloride compounds have been reported as causing eye irritation, which may be an allergic reaction.

Skin Copper chloride compounds have been reported as causing skin irritation, which may be an allergic reaction. Discoloration of skin may occur but is not indicative of injury.

Inhalation Negligible toxicity.

Ingestion Harmful if swallowed. It may cause irritation and/or a burning sensation in the mouth, pharynx, oesophagus and gastrointestinal tract.

Potential Chronic Health Effects:

CARCINOGENIC EFFECTS:

No component of this product presented at levels greater than or equal to 0.1 % is identified as probable, possible or confirmed human carcinogen by IARC.

MUTAGENIC EFFECTS:

Not suspected.

TERATOGENIC EFFECTS:

Not suspected. Animal studies did not detect any teratogenic effects.

4. FIRST AID MEASURES

General Advice:

Consult a physician. Show this material safety data sheet to the doctor in attendance.

Eye Contact:

In case of contact, immediately flush eyes with plenty of water for at least 20 minutes. Get medical attention immediately.

Skin Contact:

In case of contact, immediately flush skin with plenty of water and soap for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention if irritation persists.

Inhalation:

If inhaled, move person to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately.

Ingestion:

If swallowed, do not induce vomiting unless directed to do so by medical personnel. Rinse mouth with water. Never give anything by mouth to an unconscious person.

Loosen tight clothing such as a collar, tie, belt or waistband.
Get medical attention immediately.

5. FIRE-FIGHTING MEASURES

Flammability of Product:	Not combustible.
Auto-ignition Temperature:	Not applicable.
Flash Points:	Not applicable.
Flammable Limits:	Not applicable.
Products of Combustion:	Oxides of copper and chlorine compounds.
Explosion Hazards in Presence of Various Substances:	When heated to decomposition it forms toxic copper chlorides.
Explosion Hazards in Presence of Various Substances:	Fine dust may form an explosive mixture if source of ignition is present. Risks of explosion of the product in presence of static discharge: No. Risks of explosion of the product in presence of mechanical impact: No.
Fire Fighting Media and Instructions:	Small fire: Use dry chemicals, CO ₂ , alcohol-resistant foam or water spray. Large fire: Water spray or fog, alcohol-resistant foam. Fight fire from maximum distance.
Protective Clothing (Fire):	Wear NIOSH approved self-contained breathing apparatus or equivalent and full protective gear.
Special Remarks on Fire Hazards:	Prevent fire-fighting water from entering surface water or groundwater.
Special Remarks on Explosion Hazards:	Fine dust may form an explosive mixture if source of ignition is present.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions:	Use personal protective equipment. Avoid substance contact, ingestion and inhalation. Ensure adequate ventilation.
Environmental Protection Measures:	Do not allow to enter sewerage system.
Small Spill:	Use appropriate tools and personal protective equipment. Pick up spillage. Dispose of in a waste disposal container. Do not allow to enter sewerage system.
Large Spill:	Use appropriate tools and personal protective equipment. Contain material. Take up spillage limiting generation of dust. Dispose of in a waste disposal container. Do not allow to enter sewerage system.

7. HANDLING AND STORAGE

Handling:

Handle with care in accordance with good industrial hygiene and safety practices. Minimise dust generation. Avoid inhalation of dust. Avoid contact with eyes and skin and any form of ingestion. Wear suitable protective clothing such as overalls, boots, rubber gloves, goggles, nose and mouth protection and wash contaminated clothing daily. Use dust mask or respirator with dust cartridge. Do not eat, drink or smoke during use. Avoid contamination of food, foodstuffs, eating utensils and drinking water. Do not discharge residues or any of the product into rivers, dams and canals.

Storage:

Store in a cool, dry and well-ventilated place away from food, foodstuffs, combustible materials and incompatible substances. Material is hygroscopic. Do not allow bags to be wetted or exposed to fire or extreme heat. Close container tightly after opening. Store under lock and key and keep out of reach of children, uninformed persons and animals. Minimise dust generation. Access to water and eye wash facility should be available.

8. EXPOSURE CONTROL / PERSONAL PROTECTION

Engineering controls:

Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.

Personal Protection:

Protective clothing should be selected specifically for the working place, depending on concentration and quantity of the substance handled.

Eyes Splash goggles / safety glasses with side shields.

Body Body-covering clothing / full suit.

Respiratory Dust respirator. Be sure to use a MSHA/NIOSH approved respirator or equivalent. Wear appropriate respirator when ventilation is inadequate.

Hands PVC gloves.

Feet Boots.

Hygiene Measures:

Handle in accordance with good industrial hygiene and safety practices. Remove and wash contaminated clothing. Wash hands after use and before eating or smoking. Wash promptly if skin becomes contaminated or wet.

Personal Protection in Case of a Large Spill:

Splash goggles. Full suit. Dust respirator. Boots. Gloves. A self-contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State and Appearance:	Fine green powder.
Odour:	Odourless.
pH:	6.9 in water (measured by EPA method SW846-9045).
Boiling Point:	Not applicable.
Melting Point:	250 °C.
Thermal Decomposition:	Decomposes if heated above 220 °C. Decomposes on heating in alkaline media with the formation of toxic copper oxides.
Bulk density:	0.7 – 0.8 kg/ℓ
Vapour Pressure:	Not available.
Vapour Density:	Not available.
Volatility:	Not available.
Odour Threshold:	Not available.
Evaporation Rate:	Not available.
VOC:	Not available.
Solubility in water (20 °C):	Dispersible in water.

10. STABILITY AND REACTIVITY

Stability and Reactivity:	The product is stable under recommended conditions of storage and use.
Conditions of Instability:	High temperatures will cause decomposition. Material is hygroscopic – avoid contact with moisture. Do not store in contact with alkalis and oxidizing agents.
Incompatibility with Various Substances:	Incompatible with mercury containing compounds, thiram, DNOC, lime sulphur and dithiocarbamates.
Hazardous Decomposition Products:	Toxic copper chloride forms.
Hazardous Polymerization:	Will not occur.

11. TOXICOLOGICAL INFORMATION

Toxicity:	Acute oral toxicity (LD50):	1,694 mg/kg [RAT] (anhydrous substance).
	Acute dermal toxicity (LD50):	2,400 mg/kg [RAT].
Chronic Effects on Humans:	<u>CARCINOGENIC EFFECTS:</u> No component of this product presented at levels greater than or equal to 0.1 % is identified as probable, possible or confirmed human carcinogen by IARC.	

MUTAGENIC EFFECTS:

Not suspected.

TERATOGENIC EFFECTS:

Not suspected.

Acute Effects on Humans:

Harmful in case of eye contact (irritant).

Skin irritant.

May be harmful if inhaled. Inhalation may cause damage or irritation of respiratory tract. Symptoms can include irritation of nasal passages, sore throat, shortness of breath and coughing.

Harmful if swallowed. It can cause irritation and/or a burning sensation in the mouth, pharynx, oesophagus and gastrointestinal tract.

**Synergetic Products:
(Toxicologically)**

Not available.

Irritancy:

Draize Test: not available.

Sensitization:

Not available.

**Toxicity to Reproductive
System:**

Not available.

12. ECOLOGICAL INFORMATION

Ecotoxicity:

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Fish: Carp (LC50): 2.2 mg/l (48 h)
Referred to the cation (Lit).

Daphnia: Daphnia Magna (LC50): 3.5 mg/l (24 h) (Lit).

**Toxicity of the Products of
Biodegradation:**

Not available.

Mobility:

Do not allow to enter water or soil.

13. DISPOSAL CONSIDERATIONS

Treatment:

Consultation with a permitted waste disposal site (TSD) should be accomplished. Always contact a permitted waste disposal site (TSD) to assure compliance with all current, local, national, and Governmental regulations.

14. TRANSPORT INFORMATION

Land Transport:

ADR / RID

UN Number: 2775 Class 6.1 Packing group III.

COPPER BASED PESTICIDE, SOLID, TOXIC.

Marine Transport:	<i>IMDG</i> UN Number: 2775 Class 6.1 Packing group III. COPPER BASED PESTICIDE, SOLID, TOXIC.
Air Transport:	<i>IATA</i> UN Number: 2775 Class 6.1 Packing group III. COPPER BASED PESTICIDE, SOLID, TOXIC.

15. REGULATORY INFORMATION

Republic of South Africa Regulations:	National Water Act 36 of 1998. Occupational Health and Safety Act, 1993. Environmental Conservation Act 73 of 1989. Hazardous Substances Act, 1973. Provincial Ordinances and Local By-laws.
--	--

GHS Classification:

Pictograms:



Signal Word:

Warning

Warning

Hazard Statements:

H302:	Harmful if swallowed.
H318:	Causes serious eye damage.
H410:	Very toxic to aquatic life with long lasting effect.

Precautionary Statements:

P301, 310:	If swallowed immediately call a poison center or doctor / physician.
P305, 351, 388:	If in eyes, rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
P315:	Get immediate medical advice/attention.

Disposal:

P501:	Dispose of contents/container in accordance with local / regional / international regulations.
-------	--

16. OTHER INFORMATION

Label Requirement:	Keep away from food and foodstuffs.
---------------------------	-------------------------------------

Emergency Contact:	KIMLEIGH CHEMICALS SA (PTY) LTD TEL NO. +27 (18) 293-1028
---------------------------	--

Disclaimer:

***KIMLEIGH CHEMICALS SA (PTY) LTD** provides the information contained herein in good faith, but does not assume any liability whatsoever for its accuracy or completeness. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.*